



SUNDAY, OCTOBER 7

1415-1545

MP-11— Voiding Dysfunction

Room: 5F Goguryeo 1

MP-11.01

Vaginal Wall Flap Unilateral Transobturator Approach Versus Bilateral Transobturator Approach with Mesh for the Treatment of High Stage Cystocele

Farzaneh Sharifiaghdas, Iran

MP-11.02

Effect of Progressive Resistance Training for Post-Prostatectomy Incontinence

Juhyun Park, South Korea

MP-11.03

Survey on Disease Insight and Prevalence of Female Urinary Incontinence

Kanghee Shim, South Korea

MP-11.04

The Effects of the Addition of a New Portable Perineometer (KegelQ) on Stress Urinary Incontinence During Pelvic Floor muscle Exercise in Women: A Multicenter, Prospective Randomized, Controlled Trial

Seong Jin Jeong, South Korea

MP-11.05

Lower Urinary Tract Symptoms after Artificial Urinary Sphincter Implantation for Post-Radical Prostatectomy Urinary Incontinence and its Relation to Preoperative Urodynamic Parameters

Hee Seo Son, South Korea

MP-11.06

The Association Between Lower Urinary Tract Symptoms/Overactive Bladder and Irritable Bowel Syndrome (IBS) in Men and Women Over 18 Years Old: Results from the Colombian Overactive Bladder and Lower Urinary Tract Symptoms (COBaLT) Study

Daniela Robledo, Colombia

MP-11.07

Publically Funded Overactive Bladder Drug Treatment Patterns in Ontario over Fifteen Years: An Ecologic Study
Dean Elterman, Canada

MP-11.08

Morphological Assessment of the Nitric Oxide Synthase Distribution in a New Rat Model of Overactive Bladder
Oleksandr Iatsyna, Ukraine

MP-11.09

The Distribution of Different Collagen Types in a Rat Model of Overactive Bladder Before and After Treatment
Oleksandr Iatsyna, Ukraine

MP-11.10

Long Term Results of Intravesical Abobotulinum Toxin A Injection in Patients with Detrusor Overactivity
Sajjad Rahnama'I, Netherlands

MP-11.11

Concomitant Transurethral and Transvaginal-Periurethral Injection of Autologous Adipose Derived Stem Cells for Treatment of Female Stress Urinary Incontinence: A Phase One Clinical Trial
Gholamreza Pourmand, Iran

MP-11.12

Efficacy and Safety of Add-on Mirabegron vs. Placebo to Tamsulosin in Men with Overactive Bladder Symptoms (MATCH Study)
Kyu-Sung Lee, United Kingdom

MP-11.13

Overactive Bladder Among Saudi Women: Its Prevalence, Risk Factors and Effect on Quality of Life
Riyad Almousa, Saudi Arabia

MP-11.15

The Underactive Bladder – Clinical and Urodynamic Features
Cristian Persu, Romania

MP-11.16

Urological Outcome of Untethering Surgery for Patients of Occult Spina Bifida Whose Initial Symptom Developed in Adulthood
Hee Seo Son, South Korea

MP-11.17

Optimizing the Invasive Urodynamics Referral Pathway and the Management of Lower Urinary Tract Symptoms
Tharu Tharakan, United Kingdom

MP-11.18

Pelvic Floor Muscle Exercise with Versus Without Visual Biofeedback Assistance of Tablet PC to Recovery of Early Continence after Robot Prostatectomy : Prospective Randomized Trial
Jong Jin Oh, South Korea

MP-11.19

Treatment Success of Transobturator Mid Urethral Slings: Our Experience
Frederico Ferronha, Portugal

MP-11.20

Comparative Assessment of Efficacy and Safety of Different Treatment for de novo OAB Children: A Systematic Review and Network Meta-analysis
Zhongyu Jian, China

MP-11.21

Optimal Pelvic Floor Muscle Training of YUN Combined Solifenacin Noninvasive Approach in Females with Severe OAB and Sexual Dysfunction: A Prospective Randomized Controlled Trial
Yangyun Wang, China

MP-11.22

The impact of Over-Weight in the Efficiency and Complications of Midurethral Sling in Patients with Stress Urinary Incontinence: A System Review and Meta-Analysis
Xi Jin, China

MP-11.23

Tissue-Engineered Sling for the Treatment of Stress Urinary Incontinence
Ying Wang, China

MP-11.24

The Serotonin (5-HT)_{2A} and 5-HT_{2C} Receptors are Up-Regulated in Onuf's Nucleus in Rats with Diabetes Mellitus
Cao Nailing, China

MP-11.25

5-Year Follow-Up of Low Power Holmium Laser Enucleation of the Prostate (HoLEP)
Liu Folin, China